

## CUSTOMER SERVICE

### CUSTOMER SERVICE

Main 1(800) 946-9412  
Fax 1(714) 782-7075

### WARRANTIES/ RETURN

Main 1(866) 767- 9637

**EMAIL CONTACT**  
info@greenball.com

# **GBC**

**POWERSPORTS TIRES**



For more information check us out at

      @gbctires

**GBCTIRES.COM**

CATALOG **RIDE WITH GBC**  
**2023**

# **GBC**<sup>®</sup>

**POWERSPORTS TIRES**

## **ABOUT US**

GBC Tires, a division of Greenball Corp., was established in 1995 to bring performance tires to every style of riding in the powersports market. Our passion is to provide the highest quality and most innovative tires, with a wide range of tire sizes and treads, for every kind of vehicle and terrain. From racing and recreation, to farming and hunting, GBC Tires remains at the forefront of design and performance with signature tires for both UTV and ATV applications.



# READY FOR ANY ADVENTURE

# PARALLAX

GENERAL TRAIL RIDING

9

SOFT TERRAIN

8

ROCKY TRAIL DESERT

9

DEEP MUD / LOOSE SAND

4

MUD SURFACE

2

- LIGHT TRUCK INSPIRED TREAD PATTERN WITH HEAVY-DUTY SIPING FOR FLEX AND GRIP
- 10-PLY RATED FOR INCREASED STABILITY AND DURABILITY
- SIDEWALL LUGS FOR PROTECTION AND INCREASED TRACTION IN TIGHT SPACES
- STONE EJECTORS FOR DEBRIS AND BUILDUP REMOVAL

SIZE	PLY	T/D 32NDS IN.	OVERALL DIAMETER	S.W.	RIM WIDTH	WEIGHT LBS.	PSI	MAX LOAD
30X10.00R14	10PR	19.6	30	9.5	7	37.1	20	935
31X10.00R14	10PR	20	30	9.6	7	37.6	20	935
31X10.00R15	10PR	19.6	30	9.4	7	39.4	20	990
32X10.00R15	10PR	19.6	32	9.4	7	41.1	20	1050
33X10.00R15	10PR	19.6	33	9.4	7	44.1	20	1140
35X10.00R15	10PR	20	35	10	7	39.9	20	1235

TRUE SPECIFICATIONS ACHIEVED AFTER MOUNTING FOR 24-72 HOURS

GBC's newest offering, The Parallax combines light truck inspired tread design with advanced features allowing this tire to grip where others slip. Deep siping of the center tread blocks provide multi directional flex to seek out traction on the slickest of surfaces. Broad shoulder lugs dig in to loose loamy terrain and cling to the edges when climbing out of tight spaces. Integrated stone ejectors keep the Parallax free of debris while the extended sidewall tread provides protection against damage and punctures. Are you ready to see what your SXS is truly capable of? Upgrade to the GBC Parallax today and prepare yourself for unparalleled adventure!

# TRAIL TAMING PERFORMANCE

GENERAL TRAIL RIDING

8

SOFT TERRAIN

9

ROCKY TRAIL DESERT

7

DEEP MUD / LOOSE SAND

5

MUD SURFACE

2

# DIRT COMMANDER 2.0

- **RADIAL CONSTRUCTION**  
SMOOTHES OUT THE ROUGHEST TRAILS
- **BALANCED VOID RATIO**  
PROVIDES EXCEPTIONAL GRIP IN ALL TERRAINS
- **SQUARE SHOULDER PROFILE**  
FOR MAXIMUM GROUND CONTACT AND GRIP
- **LONG SIDE LUGS**  
FOR ENHANCED SIDEWALL PROTECTION

The All-New Dirt Commander 2.0 is a bold redesign of the wildly popular GBC Dirt Commander. The 2.0 showcases a solid square shoulder profile that boasts an aggressive look and performance to match. The sidewall is enhanced with rugged elongated lugs, which give you extra biting edges on the most challenging trails and obstacles. The combination of DC2's L-shaped tread blocks and deep sipes allow greater tread flex making it ready to take on terrain ranging from hard rocky trails and desert driving to the intermediate to softer east coast trail. It's time to take your ride to the next level with the Dirt Commander 2.0!

SIZE	PLY	T/D 32NDS IN.	O.D. ON RIM WIDTH	S.W.	RIM WIDTH	WEIGHT LBS.	PSI	MAX LOAD
27x9.00R12	8PR	22	27.9 on 6	8.5	6	28.5	35	1020
27x11.00R12	8PR	22	28.1 on 8	10.4	8	34.9	35	1230
27X9.00R14	8PR	22	28.1 on 6	8.3	6	30.1	35	990
27X11.00R14	8PR	22	28.6 on 6	10.4	8	34.7	35	1200
28X10.00R14	8PR	23	27.7 on 7	8.9	6.5	36.6	32	1050
29X9.00R14	8PR	22	29.5 on 7	9.1	6.5	32.4	35	1280
29X11.00R14	8PR	22	29.5 on 8	10.7	8	34.1	35	1480
30X10.00R14	8PR	22	29.7 on 7	9.5	6.5	37.6	35	1310
32X10.00R14	8PR	22	32.7 on 7	9.9	7	40.6	35	1480
30X10.00R15	8PR	22	31 on 7	9.4	7	38.9	35	1280
32X10.00R15	8PR	23	31.7 on 7	9.6	7	41.1	35	1430
33X10.00R15	8PR	23	32.7 on 7	9.6	7	45.1	35	1520
35X10.00R15	8PR	23	34.7 on 7	9.9	7	50.3	35	1735
35X10.00R17	8PR	22	35.1 on 7	9.8	7	51.7	35	1650
37X10.00R17	8PR	22	37.1 on 7	10.1	7	56.8	35	1870

TRUE SPECIFICATIONS ACHIEVED AFTER MOUNTING FOR 24-72 HOURS

# THE BEST JUST GOT BETTER


GENERAL TRAIL RIDING




SOFT TERRAIN



ROCKY TRAIL DESERT



DEEP MUD / LOOSE SAND



MUD SURFACE



# MONGREL SQ

- **STONE EJECTORS**  
FOR QUICK CLEAN OUT OF  
DEBRIS AND BUILDUP
- **RIM GUARD**  
FOR ADDED PROTECTION  
AGAINST DAMAGE
- **SQUARE PROFILE**  
FOR MAXIMUM CONTACT  
BETWEEN YOUR VEHICLE AND THE ROAD
- **LARGE RUGGED SHOULDER LUGS**  
FOR FAST ACCELERATION  
AND BRAKING POWER



SIZE	PLY	T/D 32NDS IN.	OVERALL DIAMETER	S.W.	RIM WIDTH	WEIGHT LBS.	PSI	MAX LOAD
30X9.50R14	10PR	20.5	30	9.3	7.0	TBD	20	880
32X9.50R14	10PR	20.5	32	9.3	7.0	40.9	20	1020
30X9.50R15	10PR	20.5	30	9.3	7.0	TBD	20	880
32X9.50R15	10PR	20.5	32	9.3	7.0	43.9	20	990
33X9.50R15	10PR	20.5	33	9.5	7.0	43.7	20	1050
35X9.50R15	10PR	20.5	35	9.5	7.0	TBD	20	1170
35X9.50R17	10PR	20.5	35	9.5	7.0	51.8	20	1140
37x9.50R17*	10PR	TBD	37	9.5	7.0	TBD	20	1280

\*Coming in Spring 2023

TRUE SPECIFICATIONS ACHIEVED AFTER MOUNTING FOR 24-72 HOURS

The original GBC Mongrel changed the side by side tire game and now we are back to do it again with the Mongrel SQ. Packed full of proven Mongrel features and technology that drivers have grown to love over the last decade and the added stability of the newly redesigned square shoulder profile make the Mongrel SQ a force to be reckoned with on any trail! If versatility and proven performance are on your wish list then the Mongrel SQ is the tire for you!

# BOLD NEW SQUARE PROFILE

# TERRA MASTER SQ

GENERAL TRAIL RIDING

9

SOFT TERRAIN

7

ROCKY TRAIL DESERT

9

DEEP MUD / LOOSE SAND

3

MUD SURFACE

2

Side B out  
for intermediate  
to hard terrain

Side A out  
for soft to  
intermediate  
terrain

- ADVANCED SQUARE SHOULDER DESIGN
- LIGHTWEIGHT 10-PLY RATED NYLON CONSTRUCTION
- NON-DIRECTIONAL ASYMMETRICAL DESIGN ALLOWS YOU TO ADAPT TO CONDITIONS
- LARGER SIZE OPTIONS 37X10R17

SIZE	PLY	T/D 32NDS IN.	OVERALL DIAMETER	S.W.	RIM WIDTH	WEIGHT LBS.	PSI	MAX LOAD
30X10.00R14	10PR	15.7	30	9.7	7.0	35.2	20/35	935
32X10.00R14	10PR	15.7	32	9.7	7.0	40.6	20	1070
32X10.00R15	10PR	15.7	32	9.5	7.0	39.5	20	1050
33X10.00R15	10PR	15.5	33	9.6	7.0	42.3	20	1140
35X10.00R15	10PR	16.6	35	9.8	7.0	47	20/25	1235
35X10.00R17	10PR	15.7	35	9.9	7.0	48.9	20	1215
37X10.00R17	10PR	15.7	37	10.1	7.0	54.7	20	1360

TRUE SPECIFICATIONS ACHIEVED AFTER MOUNTING FOR 24-72 HOURS

Developed and tested through a collaborative effort with Yamaha, the Terra Master SQ, brings all the Industry exclusive technology of the original Terra Master with a new aggressive square shoulder profile for added stability and longer tread life. Nylon radial construction offers maximum compliance and lightweight characteristics that mean instant acceleration when you press on the skinny pedal. Battling the elements is never easy, but the Terra master SQ is a weapon that puts you in control.

# CUSTOMIZABLE SETUP FOR MAXIMUM PERFORMANCE

GENERAL TRAIL RIDING

9

SOFT TERRAIN

7

ROCKY TRAIL DESERT

9

DEEP MUD / LOOSE SAND

3

MUD SURFACE

2

Side A out  
for soft to  
intermediate  
terrain

Side B out  
for intermediate  
to hard terrain

The GBC Terra Master allows you to customize your setup to match the terrain along with your driving style. Featuring two distinct tread patterns, you can alternate sides for better traction in either hard or soft-to-intermediate terrains. The Terra Master's profile is optimized for fierce straight-line traction and its side bite gives you greater cornering control. A lightweight steel-belted carcass provides a strong core, and greater wear resistance without weighing you down.

# TERRA MASTER

- **ASYMMETRICAL TREAD DESIGN**  
ADJUST YOUR MACHINE'S PERFORMANCE FOR A WIDE VARIETY OF CONDITIONS
- **10-PLY RATED CONSTRUCTION**  
FOR ENHANCED DURABILITY
- **STEEL-BELTED RADIAL DESIGN**  
FOR STRONGER CORE AND GREATER WEAR RESISTANCE
- **NON-DIRECTIONAL**  
FOR EXCELLENT RESPONSIVENESS IN ANY DIRECTION

SIZE	PLY	T/D 32NDS IN.	O.D. ON RIM WIDTH	S.W.	RIM WIDTH	WEIGHT LBS.	PSI	MAX LOAD
27X9.00R12	10PR	17.9	27.2 on 6.0	8.5	6-7	29.3	20	760
27X11.00R12	10PR	17.9	27.4 on 8.0	10.2	7-9	31.0	20	855
26X10.00R14	10PR	15.6	26.0 on 7.0	9.5	6-8	27.9	20	740
27X9.00R14	10PR	17.5	27.4 on 6.0	8.5	5-7	29.0	20	715
27X10.00R14	10PR	17.5	27.4 on 7.0	9.5	6-8	29.5	20	785
27X11.00R14	10PR	17.5	27.5 on 8.0	10.2	7-9	31.9	20	855
28X10.00R14	10PR	17.3	28.2 on 7.0	9.3	6-8	31.2	20	855
29X10.00R14	10PR	17.3	28.9 on 7.0	9.3	6-8	33.0	20	880
30X10.00R14	10PR	17.3	30.5 on 7.0	9.3	6-8	35.4	20	935
31X10.00R14	10PR	17.3	31.0 on 7.0	9.3	6-8	37.2	20	990
32X10.00R14	10PR	17.3	32.3 on 7.0	9.4	6-8	41.1	20	990
30X10.00R15	10PR	17.3	30.4 on 7.0	9.2	6-8	35.4	20	910
31X10.00R15	10PR	17.3	31.0 on 7.0	9.4	6-8	37.0	20	990
32X10.00R15	10PR	17.3	32.3 on 7.0	9.5	6-8	39.8	20	1050
33X10.00R15	10PR	17.3	32.9 on 7.0	9.6	6-8	41.1	20	1140
35X10.00R15	10PR	17.4	34.9 on 7.0	9.9	6-8	47.0	20	1235

TRUE SPECIFICATIONS ACHIEVED AFTER MOUNTING FOR 24-72 HOURS

# LEADING THE WAY THROUGH TOUGH TERRAINS



# DIRT COMMANDER

- PROVEN PERFORMANCE IN ANY CONDITIONS
- DEEP SIPES FOR GREATER TRACTION
- 8-PLY RATED FOR DURABILITY AND PUNCTURE RESISTANCE
- BITING EDGES FOR GREATER STABILITY AND CONTROL

SIZE	PLY	T/D 32NDS IN.	O.D. ON RIM WIDTH	S.W.	RIM WIDTH	WEIGHT LBS.	PSI	MAX LOAD
25X8.00-12	8PR	27	25.2 on 7.0	8.2	5-7	20.5	7/12	340/480
25X10.00-12	8PR	27	25.2 on 7.0	9.5	6-8	25.9	7/12	420/580
26X9.00-12	8PR	27	25.7 on 7.0	8.75	6-7	23.7	7/12	410/570
26X11.00-12	8PR	27	25.8 on 7.0	10	7-9	27.1	7/12	480/680
27X9.00-12	8PR	26	27.7 on 6.0	8.5	6-7	25	20	750/920
27X11.00-12	8PR	26	27.8 on 8.0	10.6	7-9	29.3	20	780/960
26X9.00-14	8PR	27	26.0 on 7.0	8.5	6-7	23.4	7/14	700/1000
26X11.00-14	8PR	27	26.0 on 7.0	9.7	7-9	28.2	7/14	730/1045
27X9.00-14	8PR	27	27.0 on 7.0	8.5	6-7	24.6	20	750/1075
27X11.00-14	8PR	27	27.0 on 7.0	10	7-9	29.4	20	780/1120
29X9.00-14	8PR	26	29.5 on 6.0	8.5	5-7	28.2	20	925
29X11.00-14	8PR	26	29.6 on 8.0	10.4	7-8	33	20	985

## GBC DRT COMMANDER RADIAL CONSTRUCTION (OEM REPLACEMENT)

27X9.00-R12	8PR	26	27.24	8.46	6-7	28.60	12	341
27X11.00-R12	8PR	26	27.36	10.6	7-9	32.78	14	440

TRUE SPECIFICATIONS ACHIEVED AFTER MOUNTING FOR 24-72 HOURS

Jack of all terrains and master of many, The Dirt Commander offers the perfect lug depth for optimal performance in an unparalleled variety of conditions. The deep sized L shaped tread grips and tears into dirt, mud, sand, hills and even rock meaning no matter the conditions the Dirt Commander will pull through with authority. 8-Ply rated bias construction for puncture resistance and protection against damage caused by trail hazards. With a proven track record few tires can match, the Dirt Commander will take you to your destination and help you enjoy the ride along the way.



# GAME CHANGING PERFORMANCE PROVEN OVER TIME

GENERAL TRAIL RIDING

8

SOFT TERRAIN

7

ROCKY TRAIL DESERT

8

DEEP MUD / LOOSE SAND

4

MUD SURFACE

3

The GBC Mongrel is built to unlock the true potential of today's high-powered performance UTV/SXS. Sporting 10-ply radial construction for high-speed stability and a reinforced sidewall for greater puncture resistance, the Mongrel is ready to overcome the toughest off-road obstacles. The balanced void ratio and proven construction compound offer added tread life to keep the fun going even longer. After more than a decade of setting the standard in SXS performance, the Mongrel is truly just hitting full stride!

# MONGREL

- **BALANCED VOID RATIO**  
FOR OPTIMAL TREAD LIFE
- **REINFORCED SIDEWALL**  
FOR GREATER PUNCTURE RESISTANCE
- **10-PLY RATED**  
FOR ENHANCED DURABILITY
- **DESIGNED FOR**  
HIGH PERFORMANCE SXS APPLICATIONS

SIZE	PLY	T/D 32NDS IN.	O.D. ON RIM WIDTH	S.W.	RIM WIDTH	WEIGHT LBS.	PSI	MAX LOAD
25X8.00R12	10PR	20	25.3 on 7.0	8.19	5-7	23.7	20	600
25X10.00R12	10PR	20	25.3 on 7.0	9.45	6-8	27.0	20	715
26X10.00R12	10PR	21	26.4 on 7.0	9.1	6-8	28.6	20	760
27X9.00R12	10PR	20	27.3 on 7.0	8.9	6-7	28.7	20	760
27X11.00R12	10PR	20	27.4 on 7.0	10.2	7-9	31.4	20	855
27X9.00R14	10PR	20	27.4 on 7.0	8.7	6-7	28.0	20	715
27X11.00R14	10PR	19.5	27.6 on 7.0	9.7	7-9	30.8	20	855
28X10.00R14	10PR	19.5	28.5 on 7.0	9.1	6-8	31.0	20	855
30X10.00R14	10PR	19.5	30.6 on 7.0	9.4	6-8	36.8	20	935
32X10.00R14	10PR	19.5	32.5 on 8.0	10.1	6-8	40.7	20	1070
28X10.00R15	10PR	20	28.7 on 7.0	9.3	6-8	29.6	20	825
30X10.00R15	10PR	19	30.7 on 7.0	9.0	6-8	37.8	20	910
32X10.00R15	10PR	19	32.4 on 7.0	9.6	6-8	41.5	20	1050

TRUE SPECIFICATIONS ACHIEVED AFTER MOUNTING FOR 24-72 HOURS

# GRIM REAPER

**FEAR NO TERRAIN**

- 8-PLY RATED RADIAL CONSTRUCTION
- DEEP WRAP-AROUND LUGS
- SUPERIOR PERFORMANCE IN SOFT TERRAIN
- HIGH RESISTANCE TO PUNCTURES



SIZE	PLY	T/D 32NDS IN.	O.D. ON RIM WIDTH	S.W.	RIM WIDTH	WEIGHT LBS.	PSI	MAX LOAD
25X8.00R12	8PR	27	25.0 on 7.0	8.3	5-7	21.9	7/12	340/480
25X10.00R12	8PR	27	25.0 on 7.0	9.4	6-8	25.8	7/12	420/580
26X9.00R12	8PR	27	26.0 on 7.0	9.6	6-7	27.1	7/12	440/595
26X11.00R12	8PR	27	26.0 on 7.0	10.8	8-9	32.7	7/12	520/735
26X9.00R14	8PR	29	26.2 on 7.0	8.3	6-7	26.5	7/14	700/1000
26X11.00R14	8PR	29	26.2 on 8.0	10.7	7-9	31.5	7/14	730/1045
27X9.00R14	8PR	29	27.0 on 7.0	9.0	6-7	27.9	7/14	750/1075
27X11.00R14	8PR	29	27.0 on 7.0	10.4	7-9	32.6	7/14	780/1120

TRUE SPECIFICATIONS ACHIEVED AFTER MOUNTING FOR 24-72 HOURS

# DIRT DEVIL

**ECONOMICAL UPGRADE**

- ECONOMICAL UPGRADE
- GREAT TRACTION IN VARIOUS TERRAINS
- WIDE RANGE OF POPULAR SIZES



SIZE	PLY	T/D 32NDS IN.	O.D. ON RIM WIDTH	S.W.	RIM WIDTH	WEIGHT LBS.	PSI	MAX LOAD
22X11.00-8	6PR	20	22.3 on 8.5	10.9	7-9	21.5	7	395
22X11.00-9	6PR	20	22.5 on 8.0	10.8	7-9	21.6	7	395
25X12.00-9	6PR	20	25.2 on 9.5	11.6	8-10	23.9	7	496
22X8.00-10	6PR	20	21.9 on 5.5	8	5-7	14.2	7	275
22X11.00-10	6PR	20	22.2 on 9.0	10.7	7-9	19.9	7	385
23X8.00-10	6PR	20	23.4 on 5.5	8.3	5-7	15.4	7	300
24X11.00-10	6PR	20	23.4 on 8.0	11.1	7-9	22.3	7	440
25X12.00-10	6PR	20	24.8 on 9.0	11.7	8-10	24.9	7	495
23X8.00-10	6PR	20	23.4 on 7.0	7.6	5-7	14.5	7	290
24X8.00-11	6PR	20	24.0 on 7.0	8.1	5-7	17.4	7	320
24X9.00-11	6PR	20	23.8 on 7.0	8.6	6-7	19.1	7	365
24X10.00-11	6PR	20	24.2 on 7.0	10.01	6-8	21.4	7	395
25X10.00-11	6PR	20	25.2 on 7.0	10	6-8	23.1	7	430
25X8.00-11	6PR	20	25.2 on 7.0	8.3	5-7	19.3	7	340
25X10.00-12	6PR	20	24.4 on 7.0	9.9	6-8	20.2	7	420
26X10.00-12	6PR	20	25.9 on 7.0	9	6-8	24.4	7	460

TRUE SPECIFICATIONS ACHIEVED AFTER MOUNTING FOR 24-72 HOURS

# GROUND BUSTER III

## CHAMPIONSHIP PROVEN PERFORMANCE

- DESIGNED FOR INTERMEDIATE TO HARD TERRAIN
- 6-PLY RATED FOR STABILITY AND DURABILITY
- 20X11-9 PRO DESIGN NOW AVAILABLE
- NEW FRONT SIZES NOW AVAILABLE



SIZE	PLY	STYLE	T/D 32NDS IN.	OVERALL DIMENSION	S.W.	RIM WIDTH	WEIGHT LBS.	PSI	LOAD CAPACITY
20X11.00-9	6PR	REAR/BLUE HOT PATCH	16	19.4	11.0	9	15.2	7	340
20X11.00-9	6PR	REAR PRO	14	19.7	11.4	9	15.2	7	340
21X11.00-9	6PR	REAR	14	20.7	11.4	9	17.2	7	364
21X7.00-10	6PR	FRONT	15	20.8	6.8	5-6	11.2	7	234
22X7.00-10	6PR	FRONT	15	21.8	6.9	5-6	12.1	7	254

TRUE SPECIFICATIONS ACHIEVED AFTER MOUNTING FOR 24-72 HOURS

# XC-MASTER

## SETTING THE STANDARD IN SPORT ATV TIRES

- X-KNOB TREAD FOR MULTI DIRECTIONAL GRIP AND SUPERIOR CONTROL
- DURABLE PUNCTURE RESISTANT CASING TO TAKE ON THE TOUGHEST TERRAIN
- EXCELS IN LOAMY TO MUDDY TERRAIN
- UNMATCHED PERFORMANCE PEDIGREE



SIZE	PLY	T/D 32NDS IN.	O.D. ON RIM WIDTH	S.W.	RIM WIDTH	WEIGHT LBS.	PSI	MAX LOAD
20X11.00-9	6PR	15	20.0 on 9.0	11.0	7-9	16.9	7	341
22X11.00-9	6PR	15	22.0 on 9.0	11.2	7-9	19.8	7	397
20X11.00-10	6PR	15	20.0 on 8.0	10.8	7-9	17.6	5	330
21X7.00-10	6PR	15	21.3 on 5.5	7.0	3.5-5.5	12.0	7	235
22X7.00-10	6PR	15	22.0 on 5.5	6.9	3.5-5.5	13.7	7	255
22X11.00-10	6PR	15	22.4 on 8.0	10.8	7-9	19.2	7	386
23X7.00-10	6PR	15	23.0 on 5.5	7.0	3.5-5.5	13.8	7	275

TRUE SPECIFICATIONS ACHIEVED AFTER MOUNTING FOR 24-72 HOURS

# MINI MASTER

## SMALL IN SIZE, BIG ON PERFORMANCE

- **ENGINEERED**  
FOR MINI ATV XC AND ATV MX APPLICATIONS
- **X-TYPE LUG**  
WITH INTEGRATED SIPING FOR MAXIMUM FLEX AND GRIP
- **SOFT YET DURABLE COMPOUND**  
TO HELP CONFORM TO SURFACES AND TERRAINS

# MINI MONGREL

## BIG BITE IN YOUTH SIZE

- **DEVELOPED SPECIFICALLY**  
FOR YOUTH SIDE BY SIDE APPLICATIONS
- **AGGRESSIVE TREAD**  
FOR MAXIMUM TRACTION ON A VARIETY OF TERRAINS
- **NARROWER FRONT**  
ENGINEERED FOR OPTIMAL HANDLING
- **REAR SIZE OFFERS A WIDER CONTACT PATCH**  
FOR IMPROVED DRIVE POWER

Designed for  
**YOUTH UTV/SXS**

SIZE	PLY	T/D 32NDS IN.	O.D. ON RIM WIDTH	S.W.	RIM WIDTH	WEIGHT LBS.	PSI	MAX LOAD
18X8.00-8	2PR	15	18	8.3	7	11.5	5	182
18X10.00-8	4PR	15	18	10	8	12.9	10	210
19X6.00-10	2PR	11	19	6.1	5	9.1	5	148
20X6.00-10	4PR	11	20	6.1	5	9.4	10	235

TRUE SPECIFICATIONS ACHIEVED AFTER MOUNTING FOR 24-72 HOURS

SIZE	PLY	T/D 32NDS IN.	O.D. ON RIM WIDTH	S.W.	RIM WIDTH	WEIGHT LBS.	PSI	MAX LOAD
23X7.00-10	6PR	15	22.9	6.9	3.5-5.5	16.4	7	275
23X8.00-10	6PR	15	22.9	8.0	5.0-7.0	17.7	7	310

TRUE SPECIFICATIONS ACHIEVED AFTER MOUNTING FOR 24-72 HOURS

# BATTLE BORN

BORN TO WIN

- DEVELOPED SPECIFICALLY FOR YOUTH SIDE BY SIDE APPLICATIONS
- DESIGNED FOR THE COMPETITIVE RACER
- DIRECTIONALLY DESIGNED GROOVED X-KNOB FOR FRONT AND REAR APPLICATIONS
- FRONT TIRE ENGINEERED FOR OPTIMAL HANDLING AND CONTROL
- REAR TIRE ENGINEERED FOR OPTIMAL DRIVE AND BRAKING

Designed for  
**YOUTH UTV/SXS**



SIZE	PLY	T/D 32NDS IN.	O.D. ON RIM WIDTH	S.W.	RIM WIDTH	WEIGHT LBS.	PSI	MAX LOAD
23X7.00-10	4PR	15	22.8	6.8	5.0	13.5	7	275
23X8.00-10	4PR	15	23.0	7.8	6.0	13.8	7	310

TRUE SPECIFICATIONS ACHIEVED AFTER MOUNTING FOR 24-72 HOURS

# GBC

POWERSPORTS TIRES

## UTV/ATV TIRES GBC TIRE PERFORMANCE CHART

TIRE	SPORT ATV	UTILITY ATV	UTV/ SXS	ROCKY TRAIL/ DESERT	GENERAL TRAIL/ RIDING	SOFT TERRAIN	DEEP MUD	DUNES/ LOOSE SAND	X-COUNTRY RIDING	MX CLOSED COURSE	STREET/ HARD SURFACE
GRIM REAPER											
DIRT DEVIL											
XC-MASTER											
MINI MASTER											
GROUND BUSTER III											
MINI MONGREL											
BATTLE-BORN											

EXCEPTIONAL PERFORMANCE VERY GOOD PERFORMANCE



**NEW**



# OVERLAND RTX

FOR THE ULTIMATE BALANCE OF DRIVABILITY AND OFF-ROAD CAPABILITIES

- Aggressive all-terrain tread for superior traction on multiple terrains
- 12-Ply rated radial construction for greater load carrying capacity
- 3-Ply sidewall for superior puncture and impact resistance
- Engineered for light duty trucks and SUV's



## CREATE YOUR OWN PATH

@kanatitires



**GREENBALL**  
TIRES FOR THE ROAD, WORK, AND PLAY

**TIME TESTED TRAILER TIRES, DESIGNED FOR RELIABLE TOWING PERFORMANCE**

[www.greenballtires.com](http://www.greenballtires.com)



**TRANSmaster EV**  
VERSATILITY MEETS VALUE

**TOW MASTER**  
PERFORMANCE IN-TOW

**TOW MASTER ASC**  
ALL-STEEL CONSTRUCTION FOR UNMATCHED DURABILITY