www.kanatitires.com





CUSTOMER SERVICE (800) 946-9412 EMAIL CONTACT info@greenball.com

for more Information check us out at

WARRANTIES/RETURNS (866) 767-9637



2023

Kanati Tires, a division of Greenball Corp., has been in the tire business for over 44 years. We are passionate about developing quality tires that perform great and bring extraordinary value to our customers. Whether you're looking for a tire that can handle your off-road adventures, need a reliable tire to take you from job site to job site, or simply want a tire with a beefier look that won't break the bank, then check out Kanati Tires.

EXAMPLE 1 QUALITY PERFORMANCE TIRES

INTRODUCING THE OVERLAND RTX

FOR THE ULTIMATE BALANCE OF DRIVABILITY AND OFF-ROAD CAPABILITIES

Advanced rubber compound provides long-lasting even wear
Multi-directional sipes for excellent traction in wet and dry conditions
Multi-angled tread block design for low road noise and improved traction
Balanced void ratio for self-cleaning power and quiet ride
Reinforced sidewall construction provides superior puncture resistance

SIZE	PLY RATING	TREAD DEPTH 32 ND IN	WEIGHT LBS.	MAX LOAI SINGLE/DUA
33X12.50R20LT	10PR	18	61.1	2600
35X12.50R20LT	10PR	18	67.4	3195
37X12.50R20LT	10PR	18	73.6	3750
37X13.50R20LT	10PR	18	76.8	3860
33X12.50R22LT	10PR	18	60.7	2270
35X12.50R22LT	10PR	18	66.8	2835
37X12.50R22LT	10PR	18	74.1	3415
37X13.50R22LT	10PR	18	76.9	3415
				A 14 1 1 1 1 1



LOAD

)/2755

5/2835

COMMING SOON

SIZE	PLY RATING	TREAD DEPTH 32 nD IN	WEIGHT LBS.	MAX I SINGLE
LT245/75R16	10PR	16	TBA	3042
LT265/65R17	10PR	16	ТВА	3085
LT265/65R17	6PR	16	ТВА	2270
LT285/70R17	10PR	16	ТВА	3465
LT285/70R17	6PR	16	TBA	2755
35x12.50R17LT	6PR	18.9	ТВА	2405
35x12.50R17LT	10PR	18.9	ТВА	3195
37x12.50R17LT	10PR	18.9	ТВА	3525
37X12.50R17LT	6PR	18.9	TBA	_2755
LT265/60R18	10PR	16	TBA	3000
LT275/55R20	10PR	16	ТВА	3085

The Kanati Overland RTX was created for drivers of pickup trucks, CUVs, full-size SUVs, and jeeps who enjoy off-road adventures yet desire a smooth and comfortable ride on the highway. With over a decade of research and experience behind the Overland's optimized construction and reformulated rubber compound, it's Kanati's most advanced and best-performing tire to date. The Overland's multi-directional sipes are designed to boost traction and grip in both wet and dry conditions. An aggressive sidewall design offers extra biting edges when needed while adding an off-road curb appeal to your vehicle. At the same time, the balanced void ratio and open shoulder blocks provide reliable self-cleaning power to protect the tire's core from damage without sacrificing rider comfort.

TERRA COMMANDER RTX STREET PERFORMANCE / RUGGED OFF-ROAD LOOK

• Optimized void ratio for a comfortable ride and low noise

 Aggressive sidewall and shoulder lugs for a rugged off-road look Stone ejectors provide easy clean-out between lugs
 3-ply sidewalls for added strength and stability
 M&S rated

SIZE	PLY RATING	TREAD DEPTH 32 ND IN	WEIGHT LBS.	MAX LOAD SINGLE/DUAL
LT235/80R17	10PR	16.1	47.2	3085/2835
LT245/70R17	10PR	16.1	45.9	3000/2755
LT245/75R17	10PR	16.1	48.0	3195/2910 ⁶¹⁰⁰
LT265/70R17	10PR	16.1	50.9	3195/2910
LT285/70R17	10PR	16.1	55.8	3195/2910
LT295/70R17	10PR	16.1	59.5	3195/2910
LT305/70R17	10PR	16.1	61.2	3195/2910
LT315/70R17	10PR	16.1	65.8	3195/2910
33X12.50R17L1	10PR	18.4	62.3	3085
35X12.50R17L1	10PR	18.4	68.9	3195
37X12.50R17L1	10PR	18.4	74.6	3525
40X13.50R17L1	* 8PR	18.9	TBA	3195

					and the second second
_//	SIZE	PLY RATING	TREAD DEPTH 32 ND IN	WEIGHT LBS.	MAX LOAD SINGLE/DUAL
	LT265/70R18	10PR	16.1	53.5	3525/3195
	LT275/65R18	10PR	16.1	53.9	3415/3085
	LT275/70R18	10PR	16.1	56.5	3640/3305
	LT285/70R18	10PR	16.1-	58.3	3860/3525
and the second	LT295/70R18	10PR	16.1	63.8	4080/3750
	LT305/70R18	10PR	16.1	63.9	3750/3415
	35X12.50R18LT	10PR	18.4	68.5	3415
	37X12.50R18LT	10PR	18.4	73.2	3970
	LT265/60R20	10PR	16.1	53.9	3195/2910
0	LT275/60R20	10PR	16.1	55.2	3415/3085
	LT275/65R20	10PR	16.1	58.3	3750/3415
	LT285/60R20	10PR	16.1	59.4	3640/3415
Re Cont	LT295/60R20	10PR	16.1	60.4	3750/3415
	LT325/60R20	10PR	16.1	67.5	3750/3415
	33X12.50R20LT	10PR	18.4	60.6	2600
20025	35X12.50R20LT	10PR	18.4	67.9	3195
Sector 1	37X12.50R20LT	10PR	18.4	73.6	3750
and the second	40X13.50R20LT	* 10PR	18.9	TBA	3970
	COLUMN THE OWNER WATCHING THE OWNER	States and Anna and	A CONTRACTOR OF THE OWNER OWNER OF THE OWNER OWNER OF THE OWNER OF THE OWNER OF THE OWNER OWNER OF THE OWNER OWNER OWNE	Stranger Bridger	Laura de la companya

The Terra Commander RTX is the perfect companion for drivers who want a tire that can comfortably cruise the open highway and navigate light off-road conditions. The tread design of the Terra Commander features closely placed lugs that allow for greater contact on the road for a smooth ride and less road noise. Stone ejectors between the lugs help remove stubborn rocks and other debris, while the siped lugs provide extra flex and grip when adventuring off the beaten path. Combined with its broad shoulders and aggressive sidewall, the RTX gives your vehicle a rugged off-road look that others will envy. This new Kanati tire is more than capable of getting you through your daily excursions and back; all you have to do is decide which direction to travel.

KANATI


OUALITY PERFORMANCE TIRES

*Coming Soon

COMMANDANT ATX

SUPERIOR TRACTION & HEAVY-DUTY LOAD CAPACITY

12-Ply rated radial construction for greater load carrying capacity
3-Ply sidewall for superior puncture and impact resistance



SIZE	PLY RATING	TREAD DEPTH	WEIGHT	MAX LOAD
		32 ND IN	LBS.	SINGLE/DUAL
LT235/80R17	12PR	19	52.6	3415/3085
LT245/70R17	12PR	18	52.3	3305/3000
LT245/75R17	12PR	18	54.6	3525/3195
LT265/70R17	12PR	18	57.0	3750/3415
LT285/70R17	12PR	18	62.4	4080/3750
LT295/70R17	12PR	18	64.5	4080/3750
LT305/70R17	12PR	18	67.4	4080/3750
LT315/70R17	12PR	18	70.4	4080/3750
33X12.50R17LT	12PR	18	65.1	3525
35X12.50R17LT	12PR	18	71.0	4080
37X12.50R17LT	12PR	18	79.1	4080
LT265/70R18	12PR	18	60.9	3860/3525
LT275/65R18	12PR	18	59.4	3860/3525
LT275/70R18	12PR	18	62.8	4080/3750
LT285/70R18	12PR	18	66.8	4080/3750
LT295/70R18	12PR	18	69.1	4080/3750
LT305/70R18	12PR	18	71.5	4080/3750
35X12.50R18LT	12PR	18	71.7	3970
37X12.50R18LT	12PR	18	77.4	3970





The Kanati Commandant ATX is a perfect daily driver for light and heavy duty trucks or large SUVs. The Commandant has an aggressive tread pattern and bold shoulder lugs designed to boost a truck's appeal and aesthetics while providing traction and increased handling in various terrains and conditions. The Commandant's design was rooted in our Armor Hog ATX tire, which supports HD pickups and heavy-duty applications: However, the Commandant is lighter than the Armor Hog and still offers a high load capacity at a reduced weight. The Commandant ATX provides drivers with a smooth and quiet ride, all while delivering the carrying capacity to pull harder and go further on or off the road.

SIZE	PLY RATING	TREAD DEPTH 32 ND IN	WEIGHT LBS.	MAX LOAD SINGLE/DUAL
LT265/60R20	12PR	18	60.0	3640/3305
LT275/55R20	12PR	18	57.6	3525
LT275/60R20	12PR	18	61.6	3860/3525
LT275/65R20	12PR	18	64.2	4080/3750
LT285/60R20	12PR	18	66.0	4080/3750
LT295/60R20	12PR	18	68.8	4080/3750
LT325/60R20	12PR	18	76.5	4080/3750
33X12.50R20LT	12PR	18	66.2	3000
35X12.50R20LT	12PR -	18	71.1	3640
37X12.50R20LT	12PR	18	77.5	3970
40X13.50R20LT*	12PR	18	TBA	4080
*Coming Soon				

MUD HOG M/T

AGGRESSIVE DESIGN FOR ON AND OFF-ROAD PERFORMANCE

Aggressive angled tread delivers enhanced traction in off-road conditions
3-ply sidewalls for increased strength and impact resistance
Optimized void ratio for superior self-cleaning action
Built with resilient rubber compounds for even tread wear and durability
M&S rated

SIZE	PLY RATING	TREAD DEPTH 32 [№] IN	WEIGHT LBS.	MAX LOAD SINGLE/DUAL
31X10.50R15LT*	6PR	19	47.5	2270
LT35X10.50R15*	6PR	20	62.0	2910
35X12.50R15LT*	6PR	20	62.1	2535
LT235/85R16	10PR	18	50.9	3042/2778
LT245/75R16	10PR	18	49.9	3042/2778
LT265/75R16	10PR	18	54.2	3415/3085
LT285/75R16	10PR	19	60.1	3750/3415
LT305/70R16	10PR	20	64.8	3525/3195
LT315/75R16*	8PR	20	63.7	3195/2910
LT265/70R17**	6PR	TBA	TBA	2470/2270
LT265/70R17	10PR	18	54.2	3195/2910
LT285/70R17**	6PR	TBA	TBA	2755/2535
LT285/70R17	10PR	19	61.3	3465/3120
LT295/70R17**	6PR	TBA	TBA	2910/2680
LT295/70R17	10PR	19.7	60.9	3195
LT305/70R17	10PR	19.7	65	3195
LT315/70R17**	6PR	TBA	TBA	2535/2335
LT315/70R17	10PR	19.7	65.6	3195
33X12.50R17LT**	* 6PR	TBA	TBA	2040



	SIZE	PLY RATING	TREAD DEPTH 32 ND IN	WEIGHT LBS.	MAX LOAD SINGLE/DUAL	
	33X12.50R17LT	10PR	19	59.9	3085	
	35X12.50R17LT**	6PR	TBA	TBA	2405	
	35X12.50R17LT	10PR	20	64.3	3195	
	37X12.50R17LT**	6PR	TBA	TBA	2755	
	37X12.50R17LT	10PR	19	72.8	3525	
	39X12.50R17LT	10PR	21	85.0	3970	
	40X13.50R17LT**	8PR	21	TBA	3195	
	LT275/65R18	10PR	20	57.0	3415/3085	
_	LT275/70R18	10PR	19	59.0	3640/3305	
-	LT305/70R18	10PR	20	67.4	3750/3415	
	33X12.50R18LT	10PR	20	62.2	2910	
	35X12.50R18LT	10PR	20	67.1	3415	
	LT275/60R20	10PR	20	59.1	3415/3085	
	LT275/65R20	10PR	19	60.0	3750/3415	
	LT295/60R20	10PR	20	66.1	3750/3415	
	33X12.50R20LT	10PR	19	61.4	2600	
	35X12.50R20LT	10PR	20	66.6	3195	
	37X12.50R20LT	10PR	20	71.5	3750	
	39X13.50R20LT	10PR	21	83.8	3970	
	40X13.50R20LT**	10PR	21	TBA	3970	
	33X12.50R22LT	10PR	20	60.3	2270	
	35X12.50R22LT	10PR	20	66.2	2835	
	37X13.50R22LT	10PR	20	75.0	3415	
	39X14.50R22LT	10PR	21	87.0	3970	
	*2 ply cidewall constr	uction **Coming C	and States			

*2-ply sidewall construction **Coming Soon

The Kanati Mud Hog sports an aggressive tread pattern that's ready to take on mother nature. Whether its conquering mud or crawling over rocks, the Mud Hog is engineered to push the limits of your off-road adventure. Featuring a large void ratio for easy clean-out and a wide footprint for superior traction and stopping power, you can dominate any terrain with confidence.

TRAIL HOG A/T-4 ALL TERRAIN / ALL WEATHER - SUPERIOR TRACTION



The Kanati Trail Hog A/T-4 is a true all-season tire featuring an all-terrain tread that can handle all types of weather and road conditions. From rocky terrains to snowy paths to wooded trails, the Trail Hog provides excellent traction and responsiveness for all your off-road and overland adventures. Its heavily siped lugs and rugged beveled shoulder blocks deliver extra biting edges for enhanced steering and control. In addition, the Trail Hog A/T-4 is mountain snowflake rated and compatible with #16 winter studs for added traction in severe snow conditions

	SIZE	PLY RATING	TREAD DEPTH 32 [№] IN	WEIGHT LBS.	MAX LOAD SINGLE/DUAL
100	LT275/70R18	10PR	18	57.3	3640/3305
T IN	LT305/70R18	10PR	18	67.1	3750/3415
5	37X12.50R18LT	10PR	18	72.1	3970
	LT265/60R20	10PR	18	55.2	3195/2910
12	LT275/55R20	10PR	18	55.5	3085/2835
1	LT275/60R20	10PR	18	57.1	3415/3085
	LT275/65R20	10PR	18	59.2	3750/3415
	LT285/60R20	10PR	18	59.8	3640/3305
	LT305/55R20	10PR	18	63.4	3195/2910
	LT325/60R20	10PR	18	71.2	3750/3415
	35X12.50R20LT	10PR	18	66.6	3195
	37X12.50R20LT	- 10PR	18	71.3	3750

Snow Flake Rated / #16 Studs for greater traction in winter conditions

- Tough 3-ply sidewall construction for durability
- Aggressive tread design for superior traction and control
- Optimized void ratio for smooth and quiet ride

	SIZE	PLY RATING	TREAD DEPTH 32 ND IN	WEIGHT LBS.	MAX LOAD SINGLE/DUAL	
	LT265/75R16	10PR	18	52.3	3415/3085	
	LT285/75R16	10PR	18	52.3	3750/3415	
	LT235/80R17	10PR	18	48.2	3085/2835	
	LT245/70R17	10PR	18	47.4	3000/2755	
	LT245/75R17	10PR	18	49.2	3195/2910	
	LT265/70R17	10PR	18	52.1	3195/2910	
	LT285/70R17	10PR	18	57.0	3465/3120	
	LT305/70R17	10PR	18	63.3	3195/2910	
ŝ	LT315/70R17	10PR	18	65.4	3195/2910	
2	35X12.50R17LT	10PR	18	64.5	3195	C
	37X12.50R17LT	10PR	18	72.5	3525	1
	LT265/70R18	10PR	18	54.3	3525/3195	
	LT275/65R18	10PR	18	55.0	3415/3085	

INTRODUCING THE NAVPOINT HTX ALL-SEASON HIGHWAY PERFORMANCE

- Circumferential grooves for improved water expulsion
- Aggressive center tread for increased traction in adverse conditions
- Multi-angled grooves for enhanced traction in water or snow
- Closed shoulder design for reliable handling and greater stability

SIZE	PLY RATING	TREAD DEPTH 32 ND IN	WEIGHT LBS.	MAX LOAD SINGLE/DUAL	
LT225/75R16	10PR	16	40.2	2680/2470	
LT235/85R16	10PR	16	45.7	3042/2756	
LT245/75R16	10PR	16	43.9	3042/2756	ł
LT265/75R16	10PR	16	49.2	3415/3085	
LT285/75R16	10PR	16	54.6	3750/3415	
LT235/80R17	10PR	16	45.9	3085/2835	
LT245/70R17	10PR	16	45	3000/2756	
LT245/75R17	10PR	16	46.2	3195/2910	
P255/70R17	SL	14	40.9	2337	
LT265/70R17	10PR	16	49.6	3195/2910	
LT285/70R17	10PR	16	55.8	3195/2910	



The new Kanati Navpoint HTX is a superior all-season highway-terrain tire made for light trucks, SUVs, and CUVs. With performance siping built in, the Navpoint HTX delivers extra flex and biting edges for enhanced grip and improved handling in adverse weather conditions. Two large circumferential grooves help expel water for increased traction on wet surfaces. Suitable for everyday driving and long-distance travel, the Navpoint HTX provides a smooth ride, excellent traction, and greater responsiveness in a variety of driving conditions.

	SIZE	PLY RATING	TREAD DEPTH 32 [№] IN	WEIGHT LBS.	MAX LOAD SINGLE/DUAL
	255/65R18	SL	14	41.9	2403
5.4.8	265/60R18	SL	14	41.8	2335
199	LT275/65R18	10PR	16	54.2	3415/3085
1.1	LT275/70R18	10PR	16	55.2	3640/3305
	255/55R20	XL	14	44.1	2337
85	LT265/60R20	10PR	16	54.7	3195/2910
	275/55R20	XL	14	45.4	2835
	LT275/65R20	10PR	16	57.6	3750/3415
115	285/45R22	XL	13	42.9	2601
		Stan ort of the			





TIME-TESTED DESIGN FOR RELIABLE TOWING PERFORMANCE

www.greenballtires.com








TOW MASTER ASC[®]





For more information visit: www.gbctires.com

CHOOSE FOR MAXIMUM PERFORMANCE

PARALLAX Advanced tread design For serious off-roaders DIRT COMMANDER 2.0 New Radial Square Shoulder design

MONGREL SQ SQUARE PROFILE FOR MAXIMUM CONTACT TERRA MASTER SQ BOLD NEW SQUARE PROFILE

SIZES: 30"-35" SIZES: 27"-37" SIZES: 30"-37"

SIZES: 30-37"